

# Model: TAP LINE

## Order number: 49-201265-027

Correct use: Supply (active storage)



one-hand door technology (door handle). For the active storage of flammable liquids. type testing by MPA/TÜV SÜD according to DIN EN 14470-1, DIN EN 14727, EK5/AK4 21-01:2021 and AfPS GS 2019: 01 PAK. Classification of ex-zones according to DIN EN 60079-10. Mark of approval: GS/CE mark, high quality mark of approval by TÜV SÜD. Construction and colour:

- Outer carcass sheet steel, ELGR conductive
- Doors sheet steel, ELBL conductive
- Inner carcass sheet steel, ELGR conductive ELGR >> similar to RAL 7035 ELBL >> similar to RAL 5010 Fittings and features:
- doors close automatically in case of fire
- doors remain open in any position
- cylinder lock for safe access
- 3 storage shelves sheet steel, ELGR conductive
- 2 drip trays sheet steel, ELGR conductive
- 4 earthing cables per storage shelf
- bottom tray sheet steel, ELGR conductive
- exhaust air connection socket on the cabinet roof
- visual inspection of the ventilation opening
- earthing connection on the cabinet roof
- interior fittings conductively connected with carcass
- adjustable feet for level adjustment
- set-back base, RAL 7015
- exhaust air monitoring unit with ventilator Further technical information:  
[www.dueperthal.com](http://www.dueperthal.com)

Category:

Type 90 - flammable liquids

|   |   |
|---|---|
| Model size                                | XL  |
| Outer width [mm]:                         | 1.194   |
| Outer depth [mm]:                         | 612   |
| Outer height [mm]:                        | 2.085   |
| Net weight [kg]:                          | 550,00  |
| Equipment package                         | with exhaust air monitoring unit and ventilator |
| Number of storage levels                  | 3   |
| Number of storage areas per storage level | 1   |
| Door operation                            | one-hand wing door technology                   |
| Door technology                           | wing door technology                            |